

# TRANSPORT REGULATIONS FOR LITHIUM BATTERIES

Road Freight Logistics



Dear customer,

we would like to inform you about an important change in the regulation concerning the TRANSPORT OF LITHIUM BATTERIES.

From **01.01.2020** the transport of lithium batteries will only be permitted with an available test summary of the manufacturer or distributor (see 2.2.9.1.7g ADR 2019). This affects particularly (but not exclusively) those which are classified by the **UN NUMBERS 3090 / 3091 / 3480 / 3481.** 

The test summary document must be checked by the consignor before transportation and must be presented to the control authorities on request.

Please understand that there will be regular sample controls of the test summary document and if necessary, transports must be rejected in some cases.

We will keep you informed.

Kind regards

Rhenus Logistics

## LITHIUM CELL/BATTERY TEST SUMMARY AND SUPPLIER INQUIRY

IN ACCORDANCE WITH SUB-SECTION 38.3 OF MANUAL OF TESTS AND CRITERIA

N/A = Not Applicable

1. Name of cel	l / battery					
2. Manufacturer of cell / battery						
Name						
Address						
Phone						
Email						
Website						
3. Test laborato	ory of cell / baltery					
Name						
Address						
Phone						
Email						
Website						
4. ID-number a	4. ID-number and date					
Unique test report identification number  Date of test			report			
DESCRIPTION OF CELL / BATTERY						
5. Mark the typ	pe of cell/ballery with an	<b>"</b> •"				
Lithium ion cell				Lithium metal cell		
Lithium ion battery L		ithium metal battery				
Lithium I	Lithium hybrid battery					
6. Parameters					Cell	Battery
Mass in gram (g	ŋ):					
Lithium ion: Indicate watt-hour rating (Wh):						
Lithium metal: Indicate lithium metal content in gram (g):						
<b>Lithium hubrid:</b> Indicate lithium metal content in gram (g) and watt-hour rating (Wh):			watt-bour cation	ı (\A/b):		g



# LITHIUM CELL/BATTERY TEST SUMMARY AND SUPPLIER INQUIRY

IN ACCORDANCE WITH SUB-SECTION 38.3 OF MANUAL OF TESTS AND CRITERIA

Name	of cell/baltery	(taken from field 1)

7. Physical description of cell / battery					
7. I righted description of eext/ buttery					
8. Model numbers					
TESTS AND RESULTS					
9. List of tests conducted and results - Mark N/A, pass or fail with an "●"	N/A	pass	fail		
T1 - Altitude simulation					
T2 - Thermal Test					
T3 - Vibration					
T4 - Shock					
T5 - External Short Circuit					
T6 - Impact / Crush					
T7 - Overcharge					
T8 - Forced Discharge					
10. Reference to assembled battery testing requirements					
			N/A		
44. Deference to the regional addition of the Manual of Technical Call.	d ba a a	aka khazata			
11. Reference to the revised edition of the Manual of Tests and Criteria used and to amendments thereto					

# LITHIUM CELL/BATTERY TEST SUMMARY AND SUPPLIER INQUIRY

IN ACCORDANCE WITH SUB-SECTION 38.3 OF MANUAL OF TESTS AND CRITERIA

Name of cell/battery	(taken from field 1)

### ADDITIONAL SUPPLIER INQUIRY

12. Quality management system for manufacturing cells / batteries Does the manufacturer of the cell/battery manufacture the products based on a documented quality management system according to transport regulations?			NO		
13. Are the following parameters exceeded?  Lithium ion cell: more than 20 Wh  Lithium ion battery: more than 100 Wh  Lithium metal cell: more than 1 g Lithium  Lithium metal battery: more than 2 g Lithium  Lithium hybrid Battery: more than 1,5 g Lithium and/or more than 10 Wh			NO		
Check point 14 – 16 need to be answered when 13 has been ticked "YES":					
14. Does each cell / battery incorporates a safety venting device or is designed to preclude a violent rupture under normal conditions of carriage?			NO		
<b>15.</b> Is each cell / battery equipped with an effective means of preventing external short circuits?		YES	NO		
16. Is each battery containing cells or series of cells connected in parallel equipped with effective means as necessary to prevent dangerous reverse current flow (e.g. diodes, fuses, etc.)?		YES	NO		
<ol> <li>Only in air transport: State of Charge (SoC) for UN 3480 Lithium ion cells/batteries and lithium polymer cells/batteries</li> </ol>					
State of Charge (SoC) max. 30 %		YES	NO		

### CELLS/BATTERIES INSTALLED IN EQUIPMENT

18. Check point 18 needs to be answered when the cells / batteries are installed in articles:									
18.a) Only button cells enclosed?					YES	NO			
18.b) Number of enclosed	cells (other than button cells)/batto	eries per equip	ment						
Enclosed ce	Enclosed cells per equipment			closed batteries per equipment					
When the equipment is intentionally active/switched on during transport e.g. data loggers:									
18.c) Confirmation that no dangerous amount of heat is emitted from the equipment				N/A		YES	NO		
18.d) Confirmation that the equipment when transported by air fulfills the defined air transport standards for electromagnetic radiation according to DO-160				YES	NO				
19. Place, Date	20. Title, Surname, First name		21. Company stamp and signature						